



www.bombaycompany.com


5950443

Granddaughter Clock
Parts List


A.	Clock Assembly	1 pc
B.	Drawer Assembly	1 pc
C.	Mechanism	1 pc
D.	Battery	1 pc
E.	Finial	1 pc
F.	Angle Brace	1 pc
G.	Handle	1 pc
H.	Phillips Head Bolt	1 pc
I.	Phillips Head Screw	1 pc
J..	Phillips Head Screwdriver	1 pc

- * Please make sure that you have all the parts and hardware indicated above before you begin assembly of this item.
- * Use the hardware illustrations to determine correct piece and size.
- * This item should be assembled on a soft surface to prevent scratching the finish during assembly.
- * This item is to be assembled by an adult and is not intended to be taken apart by a child.

Hardware Illustrations



H. Phillips Head Bolt



I. Phillips Head Screw



www.bombaycompany.com

5950443

Granddaughter Clock

Attach Finial, Angle Brace & Handle

Parts required

A.	Clock Assembly	1 pc	G.	Handle	1 pc
B.	Drawer Assembly	1 pc	H.	Phillips Head Bolt	1 pc
E.	Finial	1 pc	I.	Phillips Head Screw	1 pc
F.	Angle Brace	1 pc	J.	Phillips Head Screwdriver	1 pc

1. **Attach Finial (E)** Align the exposed threads of Finial (E) with the pre-threaded hole in the top of Clock Assembly (A). Secure by turning in a clockwise direction. See Illustration #1.
2. **Attach Angle Brace (F)** Align the pre-drilled hole in the Angle Brace (F) with the pre-drilled hole in the top of clock case. Secure with Phillips Head Screw (I) using Phillips Head Screwdriver (J). See illustration #1.
3. **Attach Handle (G)** Pull the Drawer Assembly (B) out and insert the Phillips Head Bolt (H) through the pre-drilled hole in front panel. Align the pre-threaded hole of Handle (G) with the exposed threads of Phillips Head Bolt (H) and secure using Phillips Head Screwdriver (J). See Illustration #1.



5950443
Granddaughter Clock

www.bombaycompany.com




Illustration # 1

Install Battery

Parts required

A.	Clock Assembly	1 pc	D.	Battery	1 pc
C.	Mechanism	1 pc			

4. **Install Battery (D)** Remove the round back panel of Clock Assembly (A). Insert the Battery (D) into the Mechanism (C). Use the button on the back of the Mechanism (C) to adjust the time. See Illustration #2.



www.bombaycompany.com

5950443

Granddaughter Clock




Illustration # 2

Attach the Angle Brace to the Wall

5. Attach Angle Brace to wall Place clock in the desired location against the wall. Mark the location for the Angle Brace. Attach the Angle Brace to the wall. See note below for attachment hardware.

Note:

Hanging Devices

Hanging hardware will be needed to secure this item to the wall in your home. Due to the many different types of materials used in home construction you will need to choose an appropriate wall fastener to ensure this item is securely hung. Please consult your local hardware specialist in selecting appropriate hardware and determining proper installation procedures based on your particular needs.